

JOINT EPA-HUD LEAD-BASED PAINT TRAINING PROGRAM FOR RENOVATION, REPAIR, AND PAINTING

25 Multiple Choice Questions – 70% Passing Grade

Read each of the questions carefully and **blacken** the letter on the answer sheet which best indicates the correct answer. **PLEASE DO NOT WRITE IN THIS TEST BOOKLET.**

1. Which of the following criteria does NOT apply to the term “Child-Occupied Facility” as defined by the RRP Rule?
 - a. Visited regularly by the same child under 6 years of age
 - b. Visits are on at least two different days within any week
 - c. Combined weekly visits last at least 6 hours
 - d. Combined annual visits are at least 3 months

2. Which of the following minor work activities are excluded from the RRP Rule (meaning the provisions of the rule do not apply)?
 - a. Interior work that disturbs less than 6 ft² of the painted surfaces in any room
 - b. Exterior work that disturbs less than 25% of the painted surfaces on any one side
 - c. Minor maintenance such as window replacement
 - d. Demolition of a component containing lead-based paint

3. Which of the following statements is CORRECT?
 - a. Target Housing is a home or residential unit built on or before December 31, 1977 with certain exceptions
 - b. Target Housing is housing designated for the elderly
 - c. Target Housing is housing designated for persons with disabilities
 - d. Target Housing is any zero-bedroom dwelling (studio apartments, hospitals, hotels, dormitories)

4. Which of the following is NOT a responsibility of a Certified Firm?
 - a. Assign a Certified Renovator to all jobs
 - b. Ensure all renovation personnel are Certified Renovators or have been trained on-the-job by a Certified Renovator
 - c. Provide notice to EPA prior to beginning the renovation project
 - d. Ensure all recordkeeping requirements are being met for each job

5. To maintain certification, Certified Renovators must take an EPA-approved four-hour refresher course taught by an EPA-accredited training provider once every five years.
 - a. True
 - b. False

6. Which of the following statements is CORRECT if the *Renovate Right* pamphlet is mailed to owners and/or occupants of homes being renovated?
- Obtain certificate of mailing at least 7 days prior to beginning a renovation
 - Obtain certificate of mailing at least 30 days prior to beginning a renovation
 - Obtain certificate of mailing at least 3 months prior to beginning a renovation
 - Obtain certificate of mailing at least 6 months prior to beginning a renovation
7. In addition to prohibiting the same work practices as the EPA RRP Rule, HUD prohibits dry scraping or sanding except within 1 foot of electrical outlets.
- True
 - False
8. Once testing for lead-based paint has been completed, the Certified Firm must provide a report to the client within ___ days after completion of the renovation.
- 3
 - 14
 - 21
 - 30
9. Carpets in the work room do NOT need to be covered with plastic during work because they can be vacuumed afterwards.
- True
 - False
10. When establishing a containment system for exterior renovation work, all windows and doors within ___ feet of the work area must be closed to prevent dust from entering the house.
- 7
 - 20
 - 30
 - 40
11. Which of the following personal protective clothing helps protect a worker from dust and paint chips?
- Painter's hats
 - Disposable coveralls
 - Respiratory protection
 - All of the above
12. Frequent washing of your hands and face while at the work site increases the possibility of ingesting leaded dust.
- True
 - False

13. The preferred method of cleaning up a work area is from bottom to top, from floor to window to top of wall.
- a. True
 - b. False
14. One way to prevent the spread of contamination from the work site is to remove your disposable shoe covers and vacuum your shoes before you step off the plastic sheeting.
- a. True
 - b. False
15. The preferred method for cleaning the floor of an interior work area is to first pickup any visible paint chips or debris, then HEPA vacuum all surfaces and then mop the floor using a two-bucket mopping system.
- a. True
 - b. False
16. After the plastic sheeting has been removed from an exterior job, it is acceptable to rake and shovel the soil underneath to pickup any remaining debris.
- a. True
 - b. False
17. When cleaning is complete, who is qualified to perform the Visual Inspection Procedure required prior to clearing verification?
- a. A Non-Certified Renovation Worker
 - b. A Certified Renovator
 - c. A Certified Lead Inspector
 - d. A Certified Lead Abatement Technician
18. Who is qualified to perform a Dust Clearance Examination?
- a. A Non-Certified Renovation Worker
 - b. A Certified Renovator
 - c. A Certified Lead Inspector
 - d. A Certified Lead Abatement Technician
19. Architectural components that are too big to fit into plastic bags must be wrapped in plastic and sealed with tape prior to removal from the work area?
- a. True
 - b. False

20. Renovation records must be maintained for ____ years following completion of a renovation.

- a. 1
- b. 3
- c. 7
- d. 10

21. Which of the following renovation records must be maintained ONSITE during performance of the renovation?

- a. Proof of owner/occupant pre-renovation education
- b. Purchase receipts for lead containment products
- c. Copy of Certified Renovator initial and refresher certifications
- d. Lead-based paint inspection reports provided by a Certified Lead Inspector

22. All of the following are examples of records that must be maintained by the renovation firm to document the renovation.

- Copy of Certified Renovator(s) certification(s)
- Designation of a Certified Renovator for the job
- Proof of owner/occupant pre-renovation education
- Information on and results of use of EPA-recognized lead test kits, if used

- a. True
- b. False

23. Who must sign the Post-Renovation Report for the renovation firm?

- a. The Chief Executive Officer of the renovation firm
- b. The President of the renovation firm
- c. The Certified Renovator designated for the project

24. Trained Non-Certified Renovation Workers can conduct testing for lead-based paint using EPA-recognized test kits.

- a. True
- b. False

25. Who is qualified to perform a Cleaning Verification (CV) Procedure?

- a. A Non-Certified Renovation Worker
- b. A Certified Renovator
- c. A Certified Lead Inspector
- d. A Certified Lead Abatement Technician